



EEDC 2 (5082) P3

IEC 60086-1:2006

# DRAFT TANZANIA STANDARD

(Draft for comments only)

---

Primary batteries – Part 1: General

---

**TANZANIA BUREAU OF STANDARDS**

---

## 1 National Foreword

This draft Tanzania Standard has been prepared by the Cells and Batteries Technical Committee, under the supervision of the Electrical Engineering Divisional Standards Committee (EEDC)

This draft Tanzania Standard is an adoption of the International Standard **IEC 60086-1:2006** *Primary batteries – Part 1: General*, which has been prepared by the International Electrotechnical Commission.

## 2 Terminology and conventions

Some terminologies and certain conventions are not identical with those used in Tanzania standards; attention is drawn especially to the following: -

- 1) The comma has been used as a decimal marker for metric dimensions. In Tanzania Standards, it is current practice to use “full point” on the baseline as the decimal marker.
- 2) Where the words “International Standard(s)” appear, referring to this standard they should read “Tanzania Standard(s)”.

## Abstract

IEC 60086-1:2015 is intended to standardize primary batteries with respect to dimensions, nomenclature, terminal configurations, markings, test methods, typical performance, safety and environmental aspects



IEC 60086-1

Edition 12.0  
2015-07

# INTERNATIONAL STANDARD

---

**Primary batteries –  
Part 1: General**



## CONTENTS

FOREWORD .....	5
INTRODUCTION .....	7
1 Scope .....	8
2 Normative references .....	8
3 Terms and definitions .....	8
4 Requirements .....	11
4.1 General .....	11
4.1.1 Design .....	11
4.1.2 Battery dimensions .....	11
4.1.3 Terminals .....	11
4.1.4 Classification (electrochemical system) .....	13
4.1.5 Designation .....	14
4.1.6 Marking .....	14
4.1.7 Interchangeability: battery voltage .....	15
4.2 Performance .....	16
4.2.1 Discharge performance .....	16
4.2.2 Dimensional stability .....	16
4.2.3 Leakage .....	16
4.2.4 Open-circuit voltage limits .....	16
4.2.5 Service output .....	16
4.2.6 Safety .....	16
5 Performance – Testing .....	17
5.1 General .....	17
5.2 Discharge testing .....	17
5.2.1 General .....	17
5.2.2 Application tests .....	17
5.2.3 Service output tests .....	18
5.3 Conformance check to a specified minimum average duration .....	18
5.4 Calculation method of the specified value of a minimum average duration .....	19
5.5 OCV testing .....	19
5.6 Battery dimensions .....	19
5.7 Leakage and deformation .....	19
6 Performance – Test conditions .....	19
6.1 Storage and discharge conditions .....	19
6.2 Commencement of discharge tests after storage .....	20
6.3 Discharge test conditions .....	20
6.3.1 General .....	20
6.3.2 Compliance .....	20
6.4 Load resistance .....	20
6.5 Time periods .....	20
6.6 Test condition tolerances .....	21
6.7 Activation of 'P'-system batteries .....	21
6.8 Measuring equipment .....	21
6.8.1 Voltage measurement .....	21
6.8.2 Mechanical measurement .....	21
7 Sampling and quality assurance .....	21

8	Battery packaging.....	21
	Annex A (normative) Criteria for the standardization of batteries.....	22
	Annex B (informative) Recommendations for equipment design .....	23
	B.1 Technical liaison .....	23
	B.2 Battery compartment.....	23
	B.2.1 General .....	23
	B.2.2 Limiting access by children .....	24
	B.3 Voltage cut-off .....	24
	Annex C (normative) Designation system (nomenclature) .....	25
	C.1 General .....	25
	C.2 Designation system in use up to October 1990 .....	25
	C.2.1 General .....	25
	C.2.2 Cells.....	25
	C.2.3 Electrochemical system .....	27
	C.2.4 Batteries .....	28
	C.2.5 Modifiers.....	28
	C.2.6 Examples.....	28
	C.3 Designation system in use since October 1990 .....	28
	C.3.1 General .....	28
	C.3.2 Round batteries.....	28
	C.3.3 Non-round batteries.....	32
	C.3.4 Ambiguity.....	35
	Annex D (informative) Standard discharge voltage $U_s$ – Definition and method of determination.....	37
	D.1 Definition .....	37
	D.2 Determination .....	37
	D.2.1 General considerations: the $C/R$ -plot.....	37
	D.2.2 Determination of the standard discharge resistor $R_S$ .....	38
	D.2.3 Determination of the standard discharge capacity $C_s$ and standard discharge time $t_S$ .....	39
	D.3 Experimental conditions to be observed and test results .....	39
	Annex E (informative) Preparation of standard methods of measuring performance (SMMP) of consumer goods .....	41
	E.1 General .....	41
	E.2 Performance characteristics.....	41
	E.3 Criteria for the development of test methods .....	41
	Annex F (informative) Calculation method for the specified value of minimum average duration.....	42
	Annex G (normative) Code of practice for packaging, shipment, storage, use and disposal of primary batteries .....	43
	G.1 General .....	43
	G.2 Packaging .....	43
	G.3 Transport and handling.....	43
	G.4 Storage and stock rotation .....	43
	G.5 Displays at sales points .....	44
	G.6 Selection, use and disposal .....	44
	G.6.1 Purchase .....	44
	G.6.2 Installation .....	44
	G.6.3 Use .....	44

G.6.4	Replacement.....	45
G.6.5	Disposal .....	45
Bibliography	.....	46
Figure 1	– Ingestion gauge .....	11
Figure C.1	– Designation system for round batteries: $d_1 < 100$ mm; height $h_1 < 100$ mm .....	29
Figure C.2	– Diameter code for non-recommended diameters.....	30
Figure C.3	– Height code for denoting the hundredths of a millimetre of height.....	31
Figure C.4	– Designation system for round batteries: $d_1 \geq 100$ mm; height $h_1 \geq 100$ mm .....	32
Figure C.5	– Designation system for non-round batteries, dimensions $< 100$ mm .....	33
Figure C.6	– Designation system for non-round batteries, dimensions $\geq 100$ mm .....	34
Figure C.7	– Height code for discrimination per tenth of a millimetre .....	35
Figure D.1	– Normalized $C/R$ -plot (schematic) .....	38
Figure D.2	– Standard discharge voltage (schematic) .....	39
Table 1	– Standardized electrochemical systems .....	13
Table 2	– Marking requirements .....	15
Table 3	– Conditions for storage before and during discharge testing .....	19
Table 4	– Resistive loads for new tests .....	20
Table 5	– Time periods for new tests .....	20
Table 6	– Test condition tolerances .....	21
Table A.1	– Items necessary to standardize .....	22
Table C.1	– Physical designation and dimensions of round cells and batteries .....	26
Table C.2	– Physical designation and nominal overall dimensions of flat cells .....	27
Table C.3	– Physical designation and dimensions of square cells and batteries .....	27
Table C.4	– Diameter code for recommended diameter .....	30
Table C.5	– Physical designation and dimensions of round cells and batteries based on Clause C.2 .....	36
Table C.6	– Physical designation and dimensions of non-round batteries based on Clause C.2 .....	36
Table D.1	– Standard discharge voltage by system .....	40

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### PRIMARY BATTERIES –

#### Part 1: General

#### FOREWORD

- The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- All users should ensure that they have the latest edition of this publication.
- No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60086-1 has been prepared by IEC technical committee 35: Primary cells and batteries.

This twelfth edition cancels and replaces the eleventh edition (2011) and constitutes a technical revision.

The major technical changes with respect to the previous edition are:

- the order of the Annexes was changed to the order in which they appear in the document and a caption was added to indicate where the Annex information first appears in the document;
- the humidity conditions for non P-system batteries in Table 3 was modified;
- the standard discharge voltage for the Y and W chemistries was determined to be at 3,5 V and 2,8 V respectively;
- details on capacity measurement were moved from Annex E to Subclause 5.1.

– the coin/button cell and battery definition was clarified in order to better address issues with the swallowing of coin cells.

The text of this standard is based on the following documents:

FDIS	Report on voting
35/1346/FDIS	35/1349/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60086 series, under the general title *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.



## INTRODUCTION

The technical content of this part of IEC 60086 provides fundamental requirements and information on primary cells and batteries. All batteries within the IEC 60086 series are considered dry cell batteries. In this sense, IEC 60086-1 is the main component of the IEC 60086 series and forms the basis for the subsequent parts. For example, this part includes elementary information on definitions, nomenclature, dimensions and marking. While specific requirements are included, the content of this part tends to explain methodology (how) and justification (why).

Over the years, this part has been changed to improve its content and remains under continual scrutiny to ensure that the publication is kept up to date with the advances in both battery and battery-powered device technologies.

NOTE Safety information is available in IEC 60086-4, IEC 60086-5 and IEC 62281.

## PRIMARY BATTERIES –

### Part 1: General

#### 1 Scope

This part of IEC 60086 is intended to standardize primary batteries with respect to dimensions, nomenclature, terminal configurations, markings, test methods, typical performance, safety and environmental aspects.

As a primary battery classification tool, electrochemical systems are also standardized with respect to system letter, electrodes, electrolyte, nominal and maximum open circuit voltage.

NOTE The requirements justifying the inclusion or the ongoing retention of batteries in the IEC 60086 series are given in Annex A.

The object of this part of IEC 60086 is to benefit primary battery users, device designers and battery manufacturers by ensuring that batteries from different manufacturers are interchangeable according to standard form, fit and function. Furthermore, to ensure compliance with the above, this part specifies standard test methods for testing primary cells and batteries.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086-2:-<sup>1</sup>, *Primary batteries – Part 2: Physical and electrical specifications*

IEC 60086-3:2011, *Primary batteries – Part 3: Watch batteries*

IEC 60086-4:2014, *Primary batteries – Part 4: Safety of lithium batteries*

IEC 60086-5:2011, *Primary batteries – Part 5: Safety of batteries with aqueous electrolyte*

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

##### 3.1 application test

simulation of the actual use of a battery in a specific application

##### 3.2 battery

one or more cells electrically connected and fitted in a case, with terminals, markings and protective devices etc., as necessary for use

---

