



EEDC 2 (5083) P3

IEC 60086-2:2006

DRAFT TANZANIA STANDARD

(Draft for comments only)

Primary batteries – Part 2: Physical and electrical specifications

TANZANIA BUREAU OF STANDARDS

1 National Foreword

This draft Tanzania Standard has been prepared by the Cells and Batteries Technical Committee, under the supervision of the Electrical Engineering Divisional Standards Committee (EEDC)

This draft Tanzania Standard is an adoption of the International Standard **IEC 60086-2:2006** *Primary batteries – Part 2: Physical and electrical specifications*, which has been prepared by the International Electrotechnical Commission.

2 Terminology and conventions

Some terminologies and certain conventions are not identical with those used in Tanzania standards; attention is drawn especially to the following: -

- 1) The comma has been used as a decimal marker for metric dimensions. In Tanzania Standards, it is current practice to use “full point” on the baseline as the decimal marker.
- 2) Where the words “International Standard(s)” appear, referring to this standard they should read “Tanzania Standard(s)”.

Abstract

IEC 60086-2:2015 is applicable to primary batteries based on standardized electrochemical systems. It specifies the physical dimensions, the discharge test conditions and discharge performance requirements



IEC 60086-2

Edition 13.0 2015-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Primary batteries –
Part 2: Physical and electrical specifications**

**Piles électriques –
Partie 2: Spécifications physiques et électriques**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions, symbols and abbreviations	8
3.1 Terms and definitions	8
3.2 Symbols and abbreviations	9
4 Battery dimensions, symbols	10
5 Constitution of the battery specification tables	10
6 Physical and electrical specifications	12
6.1 Category 1 batteries	12
6.1.1 General	12
6.1.2 Category 1 – Specifications: LR20, R20P, R20S	13
6.1.3 Category 1 – Specifications: LR14, R14P, R14S	14
6.1.4 Category 1 – Specifications: LR6, FR14505, R6P, R6S	15
6.1.5 Category 1 – Specifications: LR03, FR10G445, R03	16
6.1.6 Category 1 – Specifications: LR1, R1, LR8D425	17
6.9.1 Category 2 batteries – Specifications: CR14250, CR15H270, CR17345, CR17450, BR17335	18
6.3 Category 3 batteries – Specifications: LR9, CR11108	19
6.4 Category 4 batteries	20
6.4.1 General	20
6.4.2 Category 4 – Specifications: PR70, PR41, PR48, PR44	20
6.4.3 Fit acceptance gauge for PR batteries	22
6.4.4 Category 4 – Specifications: LR41, LR55, LR54, LR43, LR44	23
1) Category 4 – Specifications: SR62, SR63, SR65, SR64, SR60, SR67, SR66, SR58, SR68, SR59, SR69, SR41, SR57, SR55, SR48, SR54, SR42, SR43, SR44	25
• Category 4 – Specifications: CR1025, CR1216, CR1220, CR1616, CR2012, CR1620, CR2016, CR2025, CR2320, CR2032, CR2330, CR2430, CR2354, CR3032, CR2450, BR1225, BR2016, BR2320, BR2325, BR3032	27
6.5 Category 5 batteries	29
6.5.1 Category 5 – Specifications: 4LR44, 2CR13252, 4SR44	29
6.5.2 Category 5 – Specifications: 5AR40	30
6.6 Category 6 batteries	31
6.6.1 Category 6 – Specifications: 3R12P, 3R12S, 3LR12	31
6.6.2 Category 6 – Specifications: 4LR61	32
6.6.3 Category 6 – Specifications: CR-P2	33
6.6.4 Category 6 – Specifications: 2CR5	34
6.6.5 Category 6 – Specifications: 4R25X, 4LR25X	35
6.6.6 Category 6 – Specifications: 4R25Y	36
6.6.7 Category 6 – Specifications: 4R25-2, 4LR25-2	37
6.6.8 Category 6 – Specifications: 6F22, 6LR61, 6LP3146	38
6.6.9 Category 6 – Configurations: Stud for 6F22, 6LR61 6LP3146	39
6.6.10 Category 6 – Specifications: 6AS4	40
6.6.11 Category 6 – Specifications: 6AS6	41

Annex A (informative) Tabulation of batteries by application.....	42
Annex B (informative) Cross-reference index	48
Annex C (informative) Index.....	51
Annex D (informative) Common designation	52
Bibliography	53
Figure 1 – Dimensional drawing: Category 1	12
Figure 2 – Dimensional drawing: LR20, R20P, R20S.....	13
Figure 3 – Dimensional drawing: LR14, R14P, R14S.....	14
Figure 4 – Dimensional drawing: LR6, FR14505, R6P, R6S.....	15
Figure 5 – Dimensional drawing: LR03, FR10G445, R03	16
Figure 6 – Dimensional drawing: LR1, R1, LR8D425	17
Figure 7 – Dimensional drawing: CR14250, CR15H270, CR17345, CR17450, BR17335	18
Figure 8 – Dimensional drawing: LR9, CR11108	19
Figure 9 – Dimensional drawing: Category 4.....	20
Figure 10 – Dimensional drawing: PR70, PR41, PR48, PR44	20
Figure 11 – Gauge opening for P system batteries	22
Figure 12 – Suggested gauge layout	22
Figure 13 – Air hole placement diagram for P system batteries	23
Figure 14 – Dimensional drawing: LR41, LR55, LR54, LR43, LR44	23
Figure 15 – Dimensional drawing: SR62, SR63, SR65, SR64, SR60, SR67, SR66, SR58, SR68, SR59, SR69, SR41, SR57, SR55, SR48, SR54, SR42, SR43, SR44	25
Figure 16 – Dimensional drawing: CR1025, CR1216, CR1220, CR1616, CR2012, CR1620, CR2016, CR2025, CR2320, CR2032, CR2330, CR2430, CR2354, CR3032, CR2450, BR1225, BR2016, BR2320, BR2325, BR3032	27
Figure 17 – Dimensional drawing: 4LR44, 2CR13252, 4SR44.....	29
Figure 18 – Dimensional drawing: 5AR40	30
Figure 19 – Dimensional drawing: 3R12P, 3R12S, 3LR12	31
Figure 20 – Dimensional drawing: 4LR61	32
Figure 21 – Dimensional drawing: CR-P2	33
Figure 22 – Dimensional drawing: 2CR5.....	34
Figure 23 – Dimensional drawing: 4R25X, 4LR25X	35
Figure 24 – Dimensional drawing: 4R25Y	36
Figure 25 – Dimensional drawing: 4R25-2, 4LR25-2.....	37
Figure 26 – Dimensional drawing: 6F22, 6LR61, 6LP3146.....	38
Figure 27 – Dimensional drawing: Stud	39
Figure 28 – Dimensional drawing: 6AS4	40
Figure 29 – Dimensional drawing: 6AS6	41
Table 1 – Gauge opening dimension (mm)	22
Table A.1 – Automatic camera	42
Table A.2 – CD, digital audio, wireless gaming and accessories.....	42
Table A.3 – Digital audio.....	42
Table A.4 – Digital still camera.....	42

Table A.5 – Electric equipment	42
Table A.6 – Electric fence controller	43
Table A.7 – Electronic key	43
Table A.8 – Hearing aid	43
Table A.9 – Hearing aid high drain	43
Table A.10 – Hearing aid standard	43
Table A.11 – High intensity lighting.....	43
Table A.12 – Laser pointer.....	44
Table A.13 – Pager	44
Table A.14 – Photo	44
Table A.15 – Portable lighting (LED)	44
Table A.16 – Portable stereo	45
Table A.17 – Radio	45
Table A.18 – Radio / Clock	45
Table A.19 – Radio / Clock / Remote control.....	45
Table A.20 – Remote control	45
Table A.21 – Road warning lamp	46
Table A.22 – Smoke detector.....	46
Table A.23 – Toy (motor).....	46
Table A.24 – Toy (non-motorized)	46
Table A.25 – Wireless streaming.....	47
Table B.1 – Category 1 batteries	48
Table B.2 – Category 2 batteries	48
Table B.3 – Category 3 batteries	48
Table B.4 – Category 4 batteries	49
Table B.5 – Category 5 batteries	50
Table B.6 – Category 6 batteries	50
Table C.1 – Index.....	51
Table D.1 – Index.....	52

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRIMARY BATTERIES –

Part 2: Physical and electrical specifications

FOREWORD

- 3.1 The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 3.2 The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3.3 IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 3.4 In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 3.5 IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 3.6 All users should ensure that they have the latest edition of this publication.
- 3.7 No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 3.8 Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 3.9 Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60086-2 has been prepared by IEC technical committee 35: Primary cells and batteries.

This thirteenth edition cancels and replaces the twelfth edition (2011) and constitutes a technical revision.

Significant changes from the previous edition are test changes to battery types R03, LR03, R6, LR6, PR70, PR41, PR48, 6F22, 6LR61, 6LP3146 4LR25-2, R14, LR14, R20, LR20, CR2025, and CR2032, adding the 5AR40 back into the standard, addition of common designations, addition of two new battery types FR14505 and FR10G445, deletion of battery types LR53, R40, 2EP3863, 6F100, and general editorial changes.

The text of this standard is based on the following documents:

FDIS	Report on voting
35/1350/FDIS	35/1352/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60086 series, under the general title *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- 3.1 reconfirmed,
- 3.2 withdrawn,
- 3.3 replaced by a revised edition, or
- 3.4 amended.

INTRODUCTION

The technical content of this part of IEC 60086 provides physical dimensions, discharge test conditions and discharge performance requirements. IEC 60086-2 complements the general information and requirements of IEC 60086-1.

This part was prepared to benefit primary battery users, device designers and battery manufacturers by furnishing the specifics of form, fit and function for individual standardized primary cells and batteries. Over the years, this part has been changed to improve its contents and may again be revised in due course in the light of comments made by national committees and experts on the basis of practical experience and changing technology.

This current revision is the result of a reformatting initiative, as well as some content changes, aimed at making this part more user-friendly, less ambiguous, and, from a cross reference basis, fully harmonized with other parts of IEC 60086.

NOTE Safety information is available in IEC 60086-4, IEC 60086-5 and IEC 62281.

PRIMARY BATTERIES –

Part 2: Physical and electrical specifications

1 Scope

This part of IEC 60086 is applicable to primary batteries based on standardized electro-chemical systems.

It specifies

- the physical dimensions,
- the discharge test conditions and discharge performance requirements.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086-1:2015, *Primary batteries – Part 1: General*

ISO 1101, *Geometrical product specifications (GPS) – Geometrical tolerancing – Tolerances of form, orientation, location and run-out*

3 Terms, definitions, symbols and abbreviations

For the purposes of this document, the terms, definitions, symbols and abbreviations given in IEC 60086-1 and the following apply.

3.1 Terms and definitions

3.1.1 application test

simulation of the actual use of a battery in a specific application

3.1.2

closed-circuit voltage **CCV**

voltage across the terminals of a battery when it is on discharge

3.1.3

end-point voltage **EV**

specified voltage of a battery at which the battery discharge is terminated

[SOURCE: IEC 60050-482:2004, 482-03-30]

3.1.4

minimum average duration **MAD**

minimum average time on discharge which is met by a sample of batteries