



EEDC 6 (4908) P3  
IEC 60065 : 2014

## **DRAFT TANZANIA STANDARD**

**(Draft for comments only)**

---

**Audio, Video and similar electronic apparatus- Safety requirements**

*Draft for Stakeholders' Comments only*

**TANZANIA BUREAU OF STANDARDS**

---

## **NATIONAL FOREWORD**

### **1 Introduction**

This draft Tanzania Standard is being prepared by the Communication Equipment Technical Committee, under the supervision of the Electrical Engineering Divisional Standards Committee (EEDC)

This draft Tanzania Standard is an adoption of the International Standard **IEC 60065:2014** *Audio, Video and similar electronic apparatus- Safety requirements* which has been prepared by the International Electrotechnical Commission.

### **2 Preamble**

This draft Tanzania Standard applies to electronic apparatus designed to be fed from the mains, from a supply apparatus, from batteries or from remote power feeding and intended for reception, generation, recording or reproduction of audio, video and associated signals. It also applies to apparatus designed to be used exclusively in combination with the above-mentioned apparatus. This standard primarily concerns apparatus intended for household and similar general use but which may also be used in places of public assembly such as schools, theatres, places of worship and the workplace professional apparatus intended for use as described above is also covered unless falling specifically within the scope of other standards.

### **3 Terminology and conventions**

Some terminologies and certain conventions are not identical with those used in Tanzania Standards; attention is drawn especially to the following: -

1) The comma has been used as a decimal marker for metric dimensions. In Tanzania Standards, it is current practice to use “full point” on the baseline as the decimal marker.

2) Where the words “International Standard(s)” appear, referring to this standard they should read “Tanzania Standard(s)”.



Edition 8.0

2014-06

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

GROUP SAFETY PUBLICATION  
PUBLICATION GROUPEE DE SÉCURITÉ

---

**Audio, video and similar electronic apparatus – Safety requirements**

**Appareils audio, vidéo et appareils électroniques analogues – Exigences de sécurité**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE  
CODE PRIX

PRICE CODE **XH**

---

ICS 97.020

ISBN 978-2-8322-1575-3

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	5
INTRODUCTION.....	7
1 General .....	10
2 Terms and definitions.....	15
3 General requirements.....	26
4 General test conditions .....	26
5 Marking and instructions .....	33
6 Hazardous radiations .....	39
7 Heating under normal operating conditions .....	41
8 Constructional requirements with regard to the protection against electric shock .....	45
9 Electric shock hazard under normal operating conditions .....	53
10 Insulation requirements.....	57
11 Fault conditions .....	60
12 Mechanical strength .....	64
13 CLEARANCES and CREEPAGE DISTANCES .....	70
14 Components .....	84
15 TERMINALS .....	100
16 External flexible cords .....	107
17 Electrical connections and mechanical fixings .....	109
18 Mechanical strength of picture tubes and protection against the effects of implosion .....	112
19 Stability and mechanical hazards .....	113
20 Resistance to fire .....	116
Annex A (normative) Additional requirements for apparatus with protection against splashing water.....	132
Annex B (normative) Apparatus to be connected to the TELECOMMUNICATION NETWORKS.....	133
Annex C (normative) Band-pass filter for wide-band noise measurement .....	135
Annex D (normative) Measuring network for TOUCH CURRENTS.....	136
Annex E (normative) Measurement of CLEARANCES and CREEPAGE DISTANCES .....	137
Annex F (normative) Table of electrochemical potentials .....	141
Annex G (normative) Flammability test methods.....	142
Annex H (normative) Insulated winding wires for use without interleaved insulation (see 8.16) .....	145
Annex I (Void) .....	148
Annex J (normative) Alternative method for determining minimum CLEARANCES .....	149
Annex K (normative) Impulse test generators (see 13.3.4 and Annex J, Clause J.6) .....	154
Annex L (normative) Additional requirements for electronic flash apparatus for photographic purposes .....	155
Annex M (informative) Examples of requirements for quality control programmes for allowing reduced clearances .....	159
Annex N (informative) Routine tests.....	160
Bibliography .....	163

Figure 1 – Test circuit for fault conditions .....	120
Figure 2 – Example of an assessment of REINFORCED INSULATION .....	120
Figure 3 – Example of ACCESSIBLE parts.....	121
Figure 4 – Test hook .....	122
Figure 5 – Surge test .....	123
Figure 6 – Dielectric strength test instrument .....	124
Figure 7 – Test voltages.....	125
Figure 8 – Impact test using a steel ball .....	125
Figure 9 – Test plug for mechanical tests on antenna coaxial sockets.....	126
Figure 10 – Minimum CLEARANCES and CREEPAGE DISTANCES on PRINTED BOARDS .....	127
Figure 11 – Test apparatus for devices forming a part of the MAINS plug .....	128
Figure 12 – Scratch patterns for implosion test .....	129
Figure 13 – Distances from a POTENTIAL IGNITION SOURCE and an example for the design of barriers .....	129
Figure 14 – Mandrel.....	130
Figure 15 – Initial position of mandrel .....	130
Figure 16 – Final position of mandrel .....	130
Figure 17 – Position of metal foil on insulating material .....	131
Figure C.1 – Band-pass filter for wide-band noise measurement (amplitude/frequency response limits).....	135
Figure D.1 – Measuring network for TOUCH CURRENTS according to IEC 60990.....	136
Figure E.1 – Narrow groove.....	137
Figure E.2 – Wide groove .....	138
Figure E.3 – V-shaped groove .....	138
Figure E.4 – Rib.....	138
Figure E.5 – Uncemented joint with narrow groove .....	138
Figure E.6 – Uncemented joint with wide groove .....	139
Figure E.7 – Uncemented joint with narrow and wide grooves .....	139
Figure E.8 – Intervening, unconnected conductive part .....	139
Figure E.9 – Narrow recess .....	140
Figure E.10 – Wide recess.....	140
Figure K.1 – Impulse generating circuit .....	154
Table 1 – Voltage ranges of TNV-CIRCUITS.....	20
Table 2 – Test power supply .....	30
Table 3 – Permissible temperature rise of parts of the apparatus (1 of 2) .....	43
Table 4 – Test temperature and testing time (in days) per cycle .....	51
Table 5 – Test voltages for dielectric strength test and values for insulation resistance.....	60
Table 6 – Impact test on the enclosure of apparatus.....	65
Table 7 – Torque values for end-piece test.....	68
Table 8 – Minimum CLEARANCES for insulation in circuits CONDUCTIVELY CONNECTED TO THE MAINS and between such circuits and circuits not CONDUCTIVELY CONNECTED TO THE MAINS .....	74

Table 9 – Additional CLEARANCES for insulation in circuits CONDUCTIVELY CONNECTED TO THE MAINS with peak WORKING VOLTAGES exceeding the peak value of the nominal a.c. MAINS voltage and between such circuits and circuits not CONDUCTIVELY CONNECTED TO THE MAINS .....	75
Table 10 – Minimum CLEARANCES in circuits not CONDUCTIVELY CONNECTED TO THE MAINS .....	77
Table 11 – Minimum CREEPAGE DISTANCES .....	80
Table 12 – Minimum CLEARANCES and CREEPAGE DISTANCES (enclosed, enveloped or hermetically sealed constructions).....	83
Table 13 – Flammability category related to distance from POTENTIAL IGNITION SOURCES .....	86
Table 14 – Peak surge current.....	96
Table 15 – Nominal cross-sectional area to be accepted by TERMINALS.....	104
Table 16 – Minimum nominal thread diameter .....	104
Table 17 – Pull force on pins .....	106
Table 18 – Nominal cross-sectional areas of external flexible cords .....	107
Table 19 – Mass and pulley diameter for stress test .....	108
Table 20 – Torque to be applied to screws .....	110
Table 21 – Distances from POTENTIAL IGNITION SOURCES and consequential flammability categories .....	119
Table B.1 – Separation of TNV circuits.....	134
Table E.1 – Value of X.....	137
Table H.1 – Mandrel diameter .....	145
Table H.2 – Oven temperature.....	146
Table J.1 – MAINS transient voltages.....	150
Table J.2 – Minimum CLEARANCES.....	153
Table K.1 – Component values for impulse generating circuits .....	154
Table M.1 – Rules for sampling and inspection – Reduced CLEARANCES.....	159
Table N.1 – Test voltage .....	162

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### **AUDIO, VIDEO AND SIMILAR ELECTRONIC APPARATUS – SAFETY REQUIREMENTS**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60065 has been prepared by IEC technical committee 108: Safety of electronic equipment within the field of audio/video, information technology and communication technology. It has the status of a group safety publication in accordance with IEC Guide 104.

This eighth edition cancels and replaces the seventh edition published in 2001 including its Amendment 1 (2005) and Amendment 2 (2010). It constitutes a technical revision.

The principal changes in this edition as compared with the seventh edition are as follows:

- new requirements for wall and ceiling mounting means;
- new requirements for coin / button cell batteries;
- all notes have been reviewed to comply with the new directives;
- addition of requirements for LEDs;
- requirements for creepage distances are aligned with IEC 60950-1;
- change in optocoupler requirements.

The text of this standard is based on the following documents:

FDIS	Report on voting
108/523/FDIS	108/541/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types or formats are used:

- requirements proper and normative annexes: in roman type;
- compliance statements and test specifications: *italic type*;
- notes/explanatory matter: in smaller roman type;
- normative conditions within tables: in smaller roman type;
- terms defined in Clause 2: SMALL CAPITALS.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of December 2015 have been included in this copy.

## INTRODUCTION

### Principles of safety

#### General

This introduction is intended to provide an appreciation of the principles on which the requirements of this standard are based. Such an understanding is essential in order that safe apparatus can be designed and manufactured.

The requirements of this standard are intended to provide protection to persons as well as to the surroundings of the apparatus.

Attention is drawn to the principle that the requirements, which are standardized, are the minimum considered necessary to establish a satisfactory level of safety.

Further development in techniques and technologies may entail the need for future modification of this standard.

NOTE The expression "protection to the surroundings of the apparatus" implies that this protection should also include protection of the natural environment in which the apparatus is intended to be used, taking into account the life cycle of the apparatus, i.e. manufacturing, use, maintenance, disposal and possible end-of-life recycling of parts of the apparatus.

#### Hazards

The application of this standard is intended to prevent injury or damage due to the following hazards:

- electric shock;
- excessive temperatures;
- radiation;
- implosion;
- mechanical hazards;
- fire;
- chemical burns (for example, as a result of the ingestion of lithium chemistry button/coin cells).

#### Electric shock

Electric shock is due to current passing through the human body. Currents of the order of a milliampere can cause a reaction in persons in good health and may cause secondary risks due to involuntary reaction. Higher currents can have more damaging effects. Voltages below certain limits are generally regarded as not dangerous under specified conditions. In order to provide protection against the possibility of higher voltages appearing on parts that may be touched or handled, such parts are either earthed or adequately insulated.

For parts which can be touched, two levels of protection are normally provided to prevent electric shock caused by a single fault. Thus a single fault and any consequential faults will not create a hazard. The provision of additional protective measures, such as SUPPLEMENTARY INSULATION or protective earthing, is not considered a substitute for, or a relief from, properly designed BASIC INSULATION.

### **Cause**

Contacts with parts normally at hazardous voltage.

Breakdown of insulation between parts normally at hazardous voltage and accessible parts.

Breakdown of insulation between parts normally at hazardous voltage and circuits normally at non-hazardous voltages, thereby putting accessible parts and terminals at hazardous voltage.

Touch current from parts at hazardous voltage through the human body.  
(Touch current can include current due to RFI filter components connected between mains supply circuits and accessible parts or terminals.)

### **Prevention**

Prevent access to parts at hazardous voltage by fixed or locked covers, interlocks, etc.

Discharge capacitors at hazardous voltages.

Either use double or reinforced insulation between parts normally at hazardous voltages and accessible parts so that breakdown is not likely to occur, or connect accessible conductive parts to protective earth so that the voltage which can develop is limited to a safe value. Provide adequate mechanical and electrical strength.

Segregate hazardous and non-hazardous voltage circuits either by double or reinforced insulation so that breakdown is not likely to occur, or by a protective earthed screen, or connect the circuit normally at non-hazardous voltage to protective earth, so that the voltage which can develop is limited to a safe value.

Limit touch current to a safe value or provide a protective earthing connection to the accessible parts.

## **Excessive temperatures**

Requirements are included to prevent injury due to excessive temperatures of accessible parts, to prevent damaging of insulation due to excessive internal temperatures, and to prevent mechanical instability due to excessive temperatures developed inside the apparatus.

## **Radiation**

Requirements are included to prevent injury due to excessive energy levels of ionizing and laser radiation, for example by limiting the radiation to non-hazardous values.

## **Implosion**

Requirements are included to prevent injury due to implosion of picture tubes.

## **Mechanical hazards**

Requirements are included to ensure that the apparatus and its parts have adequate mechanical strength and stability, to avoid the presence of sharp edges and to provide guarding or interlocking of dangerous moving parts.

## Fire

A fire can result from:

- heat;
- arcing;

caused by

- overloads;
- component failure;
- insulation breakdown;
- bad connections;
- conductor breakage.

Requirements are included that are intended to prevent fire originating within the apparatus from spreading beyond the immediate vicinity of the source of the fire or from causing damage to the surroundings of the apparatus.

The following preventive measures are recommended:

- the use of suitable components and subassemblies;
- the prevention of excessive temperature rise that might cause ignition under normal or fault conditions;
- the use of measures to eliminate POTENTIAL IGNITION SOURCES such as inadequate contacts, bad connections, interruptions;
- the limitation of the quantity of combustible material used;
- the control of the position of combustible materials in relation to POTENTIAL IGNITION SOURCES;
- the use of materials with high resistance to fire in the vicinity of POTENTIAL IGNITION SOURCES;
- the use of encapsulation or barriers to limit the spread of fire within the apparatus;
- the use of suitable fire retardant materials for the enclosure.

## **AUDIO, VIDEO AND SIMILAR ELECTRONIC APPARATUS – SAFETY REQUIREMENTS**

### **1 General**

#### **1.1 Scope**

**1.1.1** This International Safety Standard applies to electronic apparatus designed to be fed from the MAINS, from a SUPPLY APPARATUS, from batteries or from REMOTE POWER FEEDING and intended for reception, generation, recording or reproduction of audio, video and associated signals. It also applies to apparatus designed to be used exclusively in combination with the above-mentioned apparatus.

This standard primarily concerns apparatus intended for household and similar general use but which may also be used in places of public assembly such as schools, theatres, places of worship and the workplace. PROFESSIONAL APPARATUS intended for use as described above is also covered unless falling specifically within the scope of other standards.

This standard concerns only safety aspects of the above apparatus; it does not concern other matters, such as style or performance.

This standard applies to the above-mentioned apparatus, if designed to be connected to the TELECOMMUNICATION NETWORK or similar network, for example by means of an integrated modem.

Some examples of apparatus within the scope of this standard are:

- receiving apparatus and amplifiers for sound and/or vision;
- independent LOAD TRANSDUCERS and SOURCE TRANSDUCERS;
- SUPPLY APPARATUS intended to supply other apparatus covered by the scope of this standard;
- ELECTRONIC MUSICAL INSTRUMENTS, and electronic accessories such as rhythm generators, tone generators, music tuners and the like for use with electronic or non-electronic musical instruments;
- audio and/or video educational apparatus;
- video projectors;

NOTE 1 Film projectors, slide projectors and overhead projectors are covered by IEC 60335-2-56.

- video cameras and video monitors;
- video games and flipper games;
- juke boxes;
- electronic gaming and scoring machines;

NOTE 2 Video games, flipper games and gaming machines and other amusement games for commercial use are covered by IEC 60335-2-82.

- teletext equipment;
- record and optical disc players;
- tape and optical disc recorders;
- antenna signal converters and amplifiers;
- antenna positioners;
- Citizen's Band apparatus;

- apparatus for IMAGERY;
- electronic light effect apparatus;
- apparatus for use in alarm systems;
- intercommunication apparatus, using low voltage MAINS as the transmission medium;
- cable head-end receivers;
- professional general use amplifiers, record or disc players, tape players, recorders, and public address systems;
- professional sound/video systems;
- electronic flash apparatus for photographic purposes (see Annex L); and
- multimedia apparatus.

The requirements of IEC 60950-1 may also be used to meet the requirements for safety of multimedia apparatus (see also IEC Guide 112).

**1.1.2** This standard applies to apparatus with a RATED SUPPLY VOLTAGE not exceeding

- 250 V a.c. single phase or d.c. supply;
- 433 V a.c. in the case of apparatus for connection to a supply other than single-phase.

**1.1.3** This standard applies to apparatus for use at altitudes not exceeding 2 000 m above sea level, primarily in dry locations and in regions with moderate or tropical climates.

For apparatus with protection against splashing water, additional requirements are given in Annex A.

For apparatus to be connected to TELECOMMUNICATION NETWORKS, additional requirements are given in Annex B.

For apparatus intended to be used in vehicles, ships or aircraft, or at altitudes exceeding 2 000 m above sea level, additional requirements may be necessary.

NOTE 1 See Table A.2 of IEC 60664-1:2007.

NOTE 2 China has special requirement in choosing multiplication factors at altitude above 2 000 m.

Requirements, additional to those specified in this standard, may be necessary for apparatus intended for special conditions of use.

**1.1.4** For apparatus designed to be fed from the MAINS, this standard applies to apparatus intended to be connected to a MAINS supply with transient overvoltages not exceeding overvoltage category II according to IEC 60664-1.

For apparatus subject to transient overvoltages exceeding those for overvoltage category II, additional protection may be necessary in the MAINS supply of the apparatus.

## **1.2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60038:2009, *IEC standard voltages*

- IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*
- IEC 60068-2-31:2008, *Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens*
- IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*
- IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*
- IEC 60085, *Electrical insulation – Thermal evaluation and designation*
- IEC 60086-4, *Primary batteries – Part 4: Safety of lithium batteries*
- IEC 60107-1:1997, *Methods of measurement on receivers for television broadcast transmissions – Part 1: General considerations – Measurements at radio and video frequencies*
- IEC 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*  
Amendment 1:2009
- IEC 60127 (all parts), *Miniature fuses*
- IEC 60127-6, *Miniature fuses. Part 6: Fuse-holders for miniature cartridge fuse-links*
- IEC 60167:1964, *Methods of test for the determination of the insulation resistance of solid insulating materials*
- IEC 60216 (all parts), *Electrical insulating materials – Thermal endurance properties*
- IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*
- IEC 60227 -2:1997, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 2: Test methods*
- IEC 60245 (all parts), *Rubber insulated cables – Rated voltages up to and including 450/750 V*
- IEC 60249-2 (all parts), *Base materials for printed circuits – Part 2: Specifications*
- IEC 60268-1:1985, *Sound system equipment – Part 1: General*
- IEC 60317-43, *Specifications for particular types of winding wires – Part 43: Aromatic polyimide type wrapped round copper wire, class 240*
- IEC 60320 (all parts), *Appliance couplers for household and similar general purposes*
- IEC 60320-1, *Appliance couplers for household and similar general purposes – Part 1: General requirements*
- IEC 60335-1, *Household and similar electrical appliances – Safety – Part 1: General requirements*
- IEC 60384-1:2008, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 60065:2014 © IEC 2014 – 13 –

IEC 60384-14:2005, *Fixed capacitors for use in electronic equipment – Part 14: Sectional specification: Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

IEC 60410:1973, *Sampling plans and procedures for inspection by attributes*

IEC 60417, *Graphical symbols for use on equipment*, available from: <<http://www.graphical-symbols.info/equipment>>

IEC 60454 (all parts), *Pressure-sensitive adhesive tapes for electrical purposes*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664 -1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60664-3, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60691:2002, *Thermal links – Requirements and application guide*

IEC 60695-11-5:2004, *Fire hazard testing – Part 11 -5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60695-11 -10:2013, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60730-1:2010, *Automatic electrical controls for household and similar use – Part 1: General requirements*

IEC 60747-5-5:2007, *Semiconductor devices – Discrete devices – Part 5-5: Optoelectronic devices – Photocouplers*  
Amendment 1:2013

IEC 60825-1:2007, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 60851-3:2009, *Winding wires – Test methods – Part 3: Mechanical properties*

IEC 60851-5:2008, *Winding wires – Test methods – Part 5: Electrical properties*

IEC 60851-6:2012, *Winding wires – Test methods – Part 6: Thermal properties*

IEC 60906 (all parts), *IEC system of plugs and socket-outlets for household and similar purposes*

IEC 60950-1:2005, *Information technology equipment – Safety – Part 1: General requirements*  
Amendment 1:2009

Amendment 2:2013<sup>1</sup>

IEC 60990, *Methods of measurement of touch current and protective conductor current*

---

<sup>1</sup>

A consolidated edition (2.2) exists, that includes IEC 60950-1:2005 and its Amendments 1:2009 and 2:2

IEC 60998-2-2, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-2: Particular requirements for connecting devices as separate entities with screwless-type clamping units*

IEC 60999- 1, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless -type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm<sup>2</sup> up to 35 mm<sup>2</sup> (included)*

IEC 60999- 2, *Connecting devices – Electrical copper conductors. Safety requirements for screw-type and screwless-type clamping units – Part 2: Particular requirements for clamping units for conductors above 35 mm<sup>2</sup> up to 300 mm<sup>2</sup> (included)*

IEC 61032:1997, *Protection of persons and equipment by enclosures – Probes for verification*

IEC 61051-2:1991, *Varistors for use in electronic equipment – Part 2: Sectional specification for surge suppression varistors*  
Amendment 1:2009

IEC 61058-1:2000, *Switches for appliances – Part 1: General requirements*

IEC/TS 61149, *Guide for safe handling and operation of mobile radio equipment*

IEC 61260, *Electroacoustics – Octave-band and fractional-octave-band filters*

IEC 61293, *Marking of electrical equipment with ratings related to electrical supply – Safety requirements*

IEC 61558-1:2005, *Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests*  
Amendment 1:2009<sup>2</sup>

IEC 61558-2-16, *Safety of power transformers, power supply units and similar products for voltages up to 1 100 V – Part 2- 16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units*

IEC 61965, *Mechanical safety of cathode ray tubes*

IEC 62133, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications*

IEC 62151:2000, *Safety of equipment electrically connected to a telecommunication network*

IEC 62368-1, *Audio/video, information and communication technology equipment – Part 1: Safety requirements*

IEC 62471:2006, *Photobiological safety of lamps and lamp systems*

IEC Guide 104, *The preparation of safety publications and the use of basic safety publications and group safety publications*

IEC Guide 112, *Guide on the safety of multimedia equipment*