



DRAFT TANZANIA STANDARD

Grout for prestressing tendons - Part 2: Grouting procedures

TANZANIA BUREAU OF STANDARDS

0.National foreword

The Tanzania Bureau of standards is the statutory national standards body for Tanzania, established under the act.No.3 of 1975, amended by act.No.2 of 2009

This finalized Tanzania standard is being prepared by the Aggregates, Sand and Concrete Technical Committee, under the supervision of the Building and Construction Divisional Standards Committee (BCDC)

This Draft Tanzania Standard is identical adoption of **ISO/14824-2:2012 Grout for prestressing tendons - Part 2: Grouting procedures** published by the International Organization for Standardization (ISO).

Terminologies and conventions

The text of the International standard is hereby being recommended for adoption without deviation for publication as draft Tanzania standard.

Some terminologies and certain conventions are not identical with those used as Tanzania standards; attention is drawn to the following:

The comma has been used as a decimal marker for metric dimensions. In Tanzania, it is current practice to use a full point on the baseline as the decimal marker.

Wherever the words "International Standard" appear, referring to this standard, they should read as "Tanzania Standard".

1 Scope

This Draft Tanzania Standard gives the procedures to be used for grouting of tendons in post-tensioned prestressed concrete. It is applicable to all types of structures, including bridges and buildings. It also covers suitability testing and inspection testing for grouts and their component materials used on a project.

NOTE:- In case you are interested to check the entire documents please [Contact TBS Library Office.](#)