THE UNITED REPUBLIC OF TANZANIA



MINISTRY OF INVESTMENT, INDUSTRYAND TRADE



TANZANIA BUREAU OF STANDARDS (TBS)

ISO 9001:2015 Certified

Date: 2022 - 11- 16

Member of the International Standardization (ISO), Codex Alimentarius Commission (WHO/FAO), Agent for ISO and other National Standards Bodies

In reply please quote.

Ref. No. TBS/AFDC/A-3/127

All members of the Board of the Directors
All relevant Ministries/Institutions/Organizations/Companies
All members of the Sugar and Honey Technical Committee (AFDC 17)
All members of the Divisional Committee

RE.DRAFT TANZANIA STANDARDS FOR STAKEHOLDER'S COMMENTS.

Kindly refer to the heading above.

- 2. Tanzania Bureau of Standards (TBS) is in the process of developing standards on Sugar as indicated below:
 - i. TBS/ AFDC 17 (1722) DTZS Determination of Conductivity Ash in Raw Sugar
 - ii. TBS/ AFDC 17 (1723) DTZS Determination of Conductivity Ash in Refined Sugar products and in Plantation White Sugar- official
 - TBS/ AFDC 17 (1724) DTZS Determination of the Polarization of white Sugar by Polarimetry – Official
 - iv. TBS/ AFDC 17 (1725) DTZS Determination of Reducing Sugars in Purified Sugar
 - v. TBS/ AFDC 17 (1726) DTZS Determination of starch in raw sugar
 - vi. TBS/ AFDC 17 (1727) DTZS Determination of Arsenic in Refined sugar products by colorimetric method
 - vii. TBS/ AFDC 17 (1728) DTZS Determination of copper in Refined Sugar Products by a Colorimetric Method
 - viii. TBS/ AFDC 17 (1735) DTZS Determination of white sugar solution colourofficial
 - ix. TBS/AFDC 17 (1553) DTZS Determination of sulphite in refined sugar products
 - x. TBS/ AFDC 17 (1559) DTZS Determination of Lead in sugar products
 - xi. TBS/ AFDC 17 (1558) DTZS Determination of Sugar solution colour
 - xii. TBS/ AFDC 17 (1557) DTZS Determination of insoluble Matter in white sugar

TBS HEADQUARTERS
Physical Address
Tanzania Bureau of Standards
Ubungo, Morogoro Road /
Sam Nujoma Road
P O Box 9524
DAR ES SALAAM, TANZANIA
Tel No: +255 22 245 0298/
+255 22 245 0206
Telefax +255 22 2450959
Hotline 0800110827
E-mail info@tbs go tz
Website http://www.tbs.go.tz
E-mail address for customer complaints complaints@tbs.go.tz
Twitter TBS_Tanzania

Instagram tbs_Viwango

TBS CENTRAL ZONE Physical Address Kambarage Tower P O. Box 2956 DODOMA TANZANIA TEI No: +255 26 2520310 TBS LAKE ZONE Physical Address NSSF Building, 3rd Floor P O Box 1814 MWANZA, TANZANIA TEI. No. +255 28 2501127

TBS NORTHERN ZONE
Physical Address
NSSF Mafao House
Building, 2^{ro} Floor
P O. Box 2399
ARUSHA,
TANZANIA
Tel. No.
+255 27 2520143

TBS SOUTHERN HIGHLANDS ZONE Physical Address NHIF Building, 7th Floor P.O. Box 1674 MBEYA, TANZANIA Tel No: +255 25 2502848 TBS SOUTHERN ZONE Physical Address MTUWASA Building P O Box 1396 MTWARA, TANZANIA TEI. No: +255 23 2334477

TBS WESTERN ZONE Physical Address NSSF Building (Mafao House). 2nd Floor P.O. Box 1276 KIGOMA. TANZANIA Tel. No. +255 28 2804023

- TBS/ AFDC 17 (1556) DTZS Determination of reducing sugar in white sugar xiii. and plantation white sugar
- TBS/ AFDC 17 (1555) DTZS Determination of Moisture XIV.
- TBS/ AFDC 17 (1554) DTZS Determination of the polarisation of raw sugar XV.
- TBS/AFDC 17 (1861) DTZS Determination of Refractometric Dry Substance XVi. (RDS %)
- 3. According to procedures for preparation of Tanzania Standard(s), the draft standards are hereby circulated for stakeholders' comments.
- 4. Being one of the key stakeholders in standards development, we kindly request you to go through the draft standards and send your comments regarding its technical contents. Suggestion which entails revision of text should indicate the preferred wording and the relevant clause should be quoted against each comment. In case you find it suitable and no comments, please notify accordingly.
- 5. Your comments can be submitted in electronic form or hard copy as per attached form.
- 6. The Bureau will appreciate receiving your comments if any, before 16th January 2023.
- 7. Thanking you in advance for your kind and continued cooperation.

8. Yours Sincerely

Ally Kingazi

For: DIRECTOR GENERAL