



AFDC 2 (1574) DTZS/ISO 13106:2014

DRAFT TANZANIA STANDARDS

Plastics — Blow-moulded polypropylene containers for packaging of liquid Foodstuffs

DRAFT STANDARD FOR PUBLIC COMMENTS ONLY

TANZANIA BUREAU OF STANDARDS



AFDC 2 (1574) DTZS/ISO 13106:2014

NATIONAL FOREWORD

The Tanzania Bureau of Standards is a statutory national standards body for Tanzania, established under the Act.No.3 of 1975, amended by Act.No.2 of 2009.

This Tanzania standard is being prepared by Coffee and Coffee Product Technical Committee, under the supervision of Agriculture and Food Standards Divisional Committee (AFDC).

This Tanzania standard is identical adoption of ISO 13106:2014 (Confirmed in 2019) Plastics — Blow-moulded polypropylene containers for packaging of liquid Foodstuffs published by the Technical Committee ISO/TC 61/SC 11 of International Organization for Standardization.

TERMINOLOGY AND CONVENTIONS.

The text of international standard is hereby being recommended for approval without deviation for publication as Tanzania standard.

Some terminologies and certain conventions are not identical with those used in Tanzania standards: attention is drawn especially to the following: -

- 1) The comma has been used as decimal marker for Metric dimensions. In Tanzania standards, it's currently practice to use "full point" on the baseline as decimal marker.
- 2) Where the words "International Standard(s)" appear, referring to this standard they should read "Tanzania Standard(s)".

SCOPE

This International Standard provides the requirements of polypropylene resins intended for use in blow moulded, round containers with capacities up to, and including two litres intended for the packaging of liquids for human consumption. This International Standard also provides tolerances on mass, dimensions, methods of sampling, testing, and performance requirements.

NOTE It is not to be implied that polypropylene resins are the only polymers suitable for these applications, as many other polymers, including PE-HD, PET, etc. are also suitable