



DRAFT TANZANIA STANDARD

Laboratory glassware - Boiling flasks with conical ground joints

TANZANIA BUREAU OF STANDARDS

CDC 5 (2453) DTZS ISO 4797:2015 Laboratory glassware - Boiling flasks with conical ground joints

National Foreword

Tanzania Bureau of Standards (TBS) is a sole National Standards body, established by the Standards Act No. 2 of 2009. It is mandated, among other functions, with formulation of National Standards in all products.

This Draft of Tanzania Standard is being prepared by Glass and Glass Products Technical Committee under the supervision of Chemical Divisional Standards Committee.

This Draft of Tanzania Standard is the identical adoption of ISO 4797:2015 Laboratory glassware - Boiling flasks with conical ground joints published by International Organization for Standardization (ISO).

The following changes proposed Clause 4 by deletion of the last sentence to read 'Two series are specified for each type of boiling flask with conical ground joints. The series differ in height and in selection of joint sizes.

Terminology and conventions

The text of the international standard is hereby being recommended for approval without deviation for publication as draft Tanzania standard.

Some terminology and certain conventions are not identical with those used as Tanzania standard; attention is drawn especially to the following;

The coma (,) has been used as a decimal marker (.) for metric dimension. In Tanzania, its current practice to use a full point on the baseline as decimal marker.

Wherever the words "International Standard" appears in the text, referring to this standard, they should be read as "Tanzania Standard".

Scope

This International Standard specifies requirements for an internationally acceptable series of boiling flasks with conical ground joints for general laboratory purposes.