THE UNITED REPUBLIC OF TANZANIA



MINISTRY OF INVESTMENT, INDUSTRY AND TRADE

TANZANIA BUREAU OF STANDARDS (TBS)



ISO 9001:2015 Certified

Member of the International Standardization (ISO), Codex Alimentarius Commission (WHO/FAO), Agent for ISO and other National Standards Bodies

In reply please quote:

Ref. No.: TBS/SD/CDC/A-3/VOL.II/62

Date:

2024-04-23

To: All Petroleum and Petroleum Products Stakeholders, All interested parties.

Dear Sir/Madam;

RE: <u>DRAFT TANZANIA STANDARDS CIRCULATED FOR STAKEHOLDER'S</u> <u>COMMENTS</u>

Please refer to the heading above;

- 2. Tanzania Bureau of Standards (TBS) is in the process of developing the following standards:
 - i. CDC 15 (2781) DTZS: 2024/ISO 11563_2003 Crude petroleum and petroleum products Bulk cargo transfer Guidelines for achieving the fullness of pipelines.
 - ii. CDC 15 (2779) DTZS:2024/ ISO 2049:1996 Petroleum products Determination of colour (ASTM scale)
- iii. CDC 15 (2780) DTZS:2024/ ISO 11223:2004 Petroleum and liquid petroleum products Direct static measurements -Measurement of content of vertical storage tanks by hydrostatic tank gauging
- iv. CDC 15 (2782) DTZS:2024/ ISO 12156-1:2023 Diesel fuel Assessment of lubricity using the high-frequency reciprocating rig (HFRR) Part 1: Test method
- v. CDC 15 (2783) DTZS:2024/ ISO 12156-2:2017 Diesel fuel Assessment of lubricity using the high-frequency reciprocating rig (HFRR) Part 2: Limit
- vi. CDC 15 (2784) DTZS:2024/ ISO 12185:1996 Crude petroleum and petroleum products Determination of density Oscillating U-tube method
- vii. CDC 15 (2785) DTZS:2024/ ISO 12917-1:2017 Petroleum and liquid petroleum products Calibration of horizontal cylindrical tanks -Part 1: Manual methods

TBS HEADQUARTERS

Twitter: TBS_Tanzania Instagram: tbs_Viwango

Physical Address
Tanzania Bureau of Standards
Ubungo, Morogoro Road /
Sam Nujoma Road
P. O. Box 9524
DAR ES SALAAM, TANZANIA
Tel. No: +255 22 245 0298/
+255 22 245 0206
Telefax: +255 22 2450959
Hotline: 0800110827
E-mail: info@tbs.go.tz
Website: http://www.tbs.go.tz
E-mail address for customer complaints
complaints@tbs.go.tz

Physical Address Kambarage Tower P.O. Box 2956 DODOMA, TANZANIA Tel. No: +255 26 2520310

TBS CENTRAL ZONE

TBS LAKE ZONE Physical Address NSSF Building, 3rd Floor P.O. Box 1814 MWANZA, TANZANIA Tel. No: +255 28 2501127

TBS NORTHERN ZONE
Physical Address
NSSF Mafao House
Building, 2nd Floor
P.O. Box 2399
ARUSHA,
TANZANIA
Tel. No:
+255 27 2520143

TBS SOUTHERN HIGHLANDS ZONE Physical Address NHIF Building, 7th Floor P. O. Box 1674 MBEYA, TANZANIA Tel No: +255 25 2502848 TBS SOUTHERN ZONE
Physical Address
MTUWASA Building
P. O. Box 1396
MTWARA,
TANZANIA
Tel. No:

+255 23 2334477

TBS WESTERN ZONE
Physical Address
NSSF Building (Mafao
House), 2nd Floor
P. O. Box 1276
KIGOMA,
TANZANIA
Tel. No:
+255 28 2804023

- viii. CDC 15 (2786) DTZS:2024/ ISO 12917-2:2002 Petroleum and liquid petroleum products - Calibration of horizontal cylindrical tanks -Part 2: Internal electro-optical distanceranging method
 - CDC 15 (2787) DTZS:2024/ ISO 12937:2000 Petroleum products -Determination of ix. water - Coulometric Karl Fisher titration method
 - CDC 15 (2788) DTZS:2024/ ISO 13759:1996 Petroleum products Determination of alkyl-X. nitrate in diesel fuels - Spectrometric method
 - CDC 15 (2789) DTZS:2024/ ISO 14596:2007 Petroleum Products-Determination of sulfur xi. content - Wavelength-dispersive X-ray fluorescence spectrometry
- CDC 15 (2790) DTZS:2024/ ISO 15167:1999 Petroleum products Determination of xii. particulate content of middle distillate fuels - Laboratory filtration method
- CDC 15 (2791) DTZS:2024/ ISO 15169:2003 Petroleum and liquid petroleum products xiii. Determination of volume, density and mass of the hydrocarbon content of vertical cylindrical tanks by hybrid tank measurement systems
- CDC 15 (2792) DTZS:2024/ ISO 20764:2003 Petroleum and related products xiv. Preparation of a test portion of high-boiling liquids for the determination of water content -Nitrogen purge method
- CDC 15 (2793) DTZS:2024/ ISO 12205:1995 Petroleum Products-Determination of the XV. oxidation stability of middle-distillate fuels.
- According to procedures for development of Tanzania Standard(s), the Draft Standards are hereby circulated for stakeholders' comments.
- Being one of the key stakeholders in standards development, you're kindly requested to go through the above draft standards and send your comments regarding its technical contents. Suggestion which entails revision of text should indicate the preferred wording and the relevant clause against each comment.
- 5. The circulated Draft Standards are International Standards proposed for identical adoption; therefore, complete contents of those Standards may be obtained from TBS library.
- 6. Your comments can be submitted in electronic form or hard copy as per attached form, and we will appreciate receiving your comments before 23th JUNE 2024. In case you find it suitable and no comments, please notify accordingly.

Thanking you in advance for your continued cooperation.

Alexander Mashalla

FOR: DIRECTOR GENERAL

Attach

TBS HEADQUARTERS

Physical Address Tanzania Bureau of Standards Ubungo, Morogoro Road / Sam Nujoma Road P. O. Box 9524 DAR ES SALAAM, TANZANIA +255 22 245 0206 Telefax: +255 22 2450959 Hotline: 0800110827

E-mail: info@tbs.go.tz Website: http://www.tbs.go.tz E-mail address for customer complaints complaints@tbs.go.tz

Twitter: TBS_Tanzania Instagram: tbs Viwango

TBS CENTRAL ZONE Physical Address Kambarage Tower P.O. Box 2956 DODOMA TANZANIA Tel No +255 26 2520310

TBS LAKE ZONE Physical Address NSSF Building, 3rd Floor P.O. Box 1814 TANZANIA Tel. No: Tel. No: +255 28 2501127 +255 27 2520143

TBS NORTHERN ZONE Physical Address NSSF Mafao House Building, 2nd Floor P.O. Box 2399 TANZANIA

TBS SOUTHERN HIGHLANDS ZONE Physical Address NHIF Building, 7th Floor P.O. Box 1674 MBEYA, TANZANIA Tel No: +255 25 2502848

TBS SOUTHERN ZONE Physical Address MTUWASA Building P. O. Box 1396 MTWARA TANZANIA Tel. No: +255 23 2334477

TBS WESTERN ZONE Physical Address NSSF Building (Mafao House), 2nd Floor P. O. Box 1276 KIGOMA TANZANIA Tel. No: +255 28 2804023