

THE UNITED REPUBLIC OF TANZANIA

MINISTRY OF INDUSTRY AND TRADE TANZANIA BUREAU OF STANDARDS (TBS)



ISO 9001:2015 Certified

Member of the International Standardization (ISO), Codex Alimentarius Commission (WHO/FAO), Agent for ISO and other National Standards Bodies

In reply please quote:

Ref. No.: TBS/DSD/SD/CDC/A-3/VOL.II/69

Date: 2024-12 - 30

To: All Stationery and Paper Products Stakeholders and All interested parties.

DRAFT TANZANIA STANDARDS FOR STAKEHOLDER'S COMMENTS. RE:

Please refer to the heading above.

- 2. Tanzania Bureau of Standards (TBS) is in the process of developing standards on;
 - TBS/CDC 10 (3112) DTZS Envelope Specification. i.
 - TBS/CDC 10 (3113) DTZS Printing inks for use on food wrappers, packages and ii. receptacles - Specification.
 - TBS/CDC 10 (3114) DTZS ISO 536-2019 Paper and board Determination of III. grammage.
 - TBS/CDC 10 (3239) DTZS ISO 534:2011 Paper and board -Determination of iv. thickness, density and specific volume.
 - TBS/CDC 10 (3241) DTZS ISO 2759:2014 Board Determination of bursting strength.
 - TBS/CDC 10 (3242) DTZS ISO 6588-1:2021 Paper, board and pulps -Determination of pH of aqueous extracts - Part 1: Cold extraction.
 - TBS/CDC 10 (3243) DTZS ISO 6588-2:2021 Paper, board and pulps -VII. Determination of pH of aqueous extracts -Part 2: Hot extraction.
 - CDC 10 (3244) DTZS ISO 14453:2014 Pulps Determination of acetone soluble VIII. matter.
 - TBS/CDC 10 (3245) DTZS ISO 15320:2011 Pulp, paper and board Determination ix. of pentachlorophenol in an aqueous extract.
 - TBS/CDC 10 (3255) DTZS ISO 2144:2019 Paper, board, pulps and cellulose Χ. nanomaterials - Determination of residue (ash content) on ignition at 900 °C.

TBS HEADQUARTERS Physical Address Tanzania Bureau of Standards Ubungo, Morogoro Road / Sam Nujoma Road P. O. Box 9524 DAR ES SALAAM, TANZANIA Tel. No: +255 22 245 0298/ +255 22 245 0206 Telefax: +255 22 2450959 Hotline: 0800110827 E-mail: info@tbs.go.tz Website: http://www.tbs.go.tz E-mail address for custom complaints@tbs.go.tz er complaints Twitter: TBS_Tanzania Instagram: tbs_Viwango

TBS CENTRAL ZONE Physical Address Kambarage Tower P.O. Box 2956 DODOMA TANZANIA +255 26 2520310

TBS LAKE ZONE Physical Address NSSF Building, 3rd Floor P.O. Box 1814 MWANZA, TANZANIA

TBS NORTHERN ZONE Physical Address NSSF Mafao House Building, 2nd Floor P.O. Box 2399 TANZANIA Tel. No: Tel. No: +255 28 2501127 +255 27 2520143

HIGHLANDS ZONE Physical Address NHIF Building, Floor P.O. Box 1674 TANZANIA Tel No: +255 25 2502848

TRS SOUTHERN

TBS SOUTHERN ZONE Physical Address MTUWASA Building P. O. Box 1396 MTWARA TANZANIA Tel No: +255 23 2334477

TBS WESTERN ZONE Physical Address NSSF Building (Mafao House), 2nd Floor P. O. Box 1276 KIGOMA TANZANIA Tel. No: +255 28 2804023

- TBS/CDC 10 (3256) DTZS ISO 5350-1:2006 Pulps Estimation of dirt and shives xi. Part 1: Inspection of laboratory sheets by transmitted light.
- 3. According to procedures for the development of Tanzania Standard(s), the Draft Standards are hereby circulated for stakeholders' comments. For the circulated Draft Standards which are International Standards proposed for adoption only scope is provided, due to copyright issues, and for full standard visit TBS library.
- 4. Being one of the key stakeholders in standards development, your kindly requested to go through the complete draft standards and send your comments regarding its technical contents. Suggestion which entails revision of text should indicate the preferred wording and the relevant clause against each comment.
- 5. In case you find it suitable and no comments, please notify accordingly.
- 6. Your comments can be submitted in electronic form or hard copy as per the attached form and we will appreciate receiving your comments before 28th February 2025.

Thanking you in advance for your continued cooperation.

Miraji Kambangwa

For: DIRECTOR GENERAL

Attach;

E-mail address for customer complaints