

DRAFT TANZANIA STANDARD

Glass in building — Forced-entry security glazing —Part 2: Test and classification by repetitive impact of a hammer and axe at room temperature.

## TANZANIA BUREAU OF STANDARDS

This Tanzania Standard was published under the authority of the Board of Directors of Tanzania Bureau of Standards on yyy-mm-dd.

Tanzania Bureau of Standards (TBS) is the statutory national standards body for Tanzania established under the Standards Act No. 3 of 1975, repealed and replaced by the Standards Act No. 2 of 2009.

The Building and Construction Divisional Standards Committee (BCDC), under whose supervision this Tanzania Standard was prepared, consists of representatives from the following organizations:

\*College of Engineering and Technology, University of Dar er Salaam Tanzania Commission for Science and Technology (COSTECH) Ministry of Works and Transport (MoWT) National Housing Corporation (NHC) Contractors Registration Board (CRB) Ardhi University (ARU) Jeshi la Kujenga Taifa (JKT) National Estates and Designing Consultancy Company Ltd (NEDCO) Architects and Quantity Surveyors Registration Board (AQRB) Institution of Engineers Tanzania (IET) \*National Construction Council (NCC) Engineers Registration Board (ERB)

The organizations marked with an asterisk (\*) in the above list, directly represented on the Technical Committee entrusted with the preparation of this Tanzania Standard:

Tanzania Bureau of Standards P O Box 9524 Dar es Salaam Tel: +255 (22) 2450206/2450949/2450298 Fax: +255 22 2450298 E-mail: info@tbs.go.tz

## **0.National foreword**

The Tanzania Bureau of Standards is the statutory national standards body for Tanzania, established under the act.No.3 of 1975, amended by act.No.2 of 2009

This draft Tanzania Standard is being prepared by the BCDC 9 Roofing and Finishes Technical Committee, under the supervision of the Building and Construction Divisional Standards Committee (BCDC)

This draft Tanzania Standard is an identical adoption BCDC 9 (3572) NWI/ ISO 16936-2:2005 Glass in building — Forced-entry security glazing —Part 2: Test and classification by repetitive impact of a hammer and axe at room temperature published by the International Organization for Standardization (ISO).

## **Terminologies and conventions**

The text of the International standard is hereby being recommended for approval without deviation for publication as draft Tanzania standard.

Some terminologies and certain conventions are not identical with those used as Tanzania standards; attention is drawn to the following:

The comma has been used as a decimal marker for metric dimensions. In Tanzania, it is current practice to use a full point on the baseline as the decimal marker.

Wherever the words "International Standard" appear, referring to this draft standard, they should read as "Tanzania Standard".