

DRAFT TANZANIA STANDARD

Natural Gas - Determination of water by the Karl Fischer method.

DRAFT FOR PUBLIC COMMENTS ONLY!

TANZANIA BUREAU OF STANDARDS

National foreword

The Tanzania Bureau of Standards is the statutory National standards body for Tanzania, established under the Act. No.3 of 1975, amended by Act. No.2 of 2009

This Draft Tanzania Standard is being adopted by the Gases Technical Committee under the supervision of the Chemicals Divisional Standards Committee

This draft Tanzania Standard is the identical adoption of ISO 10101-3:1993(E)- Natural Gas-Determination of water by the Karl Fischer method

Terminologies and conventions

Some terminologies and certain conventions in the ISO standards are not identical with those used in Tanzania Standards and attention is drawn especially to the following:

The comma (,) has been used as a decimal marker (.) for metric dimensions. In Tanzania Standards, it is current practice to use a full point on the base line as the decimal marker.

Wherever the words "International Standard" appear in this Tanzania Standard, they should be interpreted as "Tanzania Standard".

Scope

This document specifies a coulometric procedure for the determination of water content by the Karl Fischer method. The method is applicable to natural gas and other gases which do not react with Karl Fischer (KF) reagents.

It applies to water concentrations between 5 mg/m³ and 5 000 mg/m³. Volumes are expressed at temperature of 273,15 K (0 °C) and a pressure of 101,325 kPa (1 atm).