



EDC 6 (4038) DTZS  
IEC 60268-4:2018

# DRAFT TANZANIA STANDARD

(Draft for comments only)

---

---

**Sound system equipment - Part 4: Microphones**

**TANZANIA BUREAU OF STANDARDS**

---

---

## **1 National Foreword**

This draft Tanzania Standard is being prepared by the Telecommunications and Information Technology Technical Committee, under the supervision of the Electrotechnical divisional standards committee (EDC)

This draft Tanzania Standard is an adoption of the International Standard **IEC 60268-4:2018** Sound system equipment - Part 4: Microphones, Which has been prepared by the International Electrotechnical Commission

## **2 Terminology and conventions**

Some terminologies and certain conventions are not identical with those used in Tanzania standards; attention is drawn especially to the following: -

- 1) The comma has been used as a decimal marker for metric dimensions. In Tanzania Standards, it is current practice to use “full point” on the baseline as the decimal marker.
- 2) Where the words “International Standard(s)” appear, referring to this standard they should read “Tanzania Standard(s)”.

# CONTENTS

FOREWORD .....	6
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions.....	9
4 General conditions.....	10
4.1 General.....	10
4.2 Measurement conditions.....	10
4.2.1 General.....	10
4.2.2 Rated conditions.....	11
5 Particular conditions.....	12
5.1 Pre-conditioning.....	12
5.2 Sound source.....	12
5.3 Measurement of sound pressure.....	12
5.4 Voltage measuring system.....	12
5.5 Acoustical environment.....	12
5.5.1 General.....	12
5.5.2 Free-field conditions.....	13
5.5.3 Diffuse field conditions.....	14
5.5.4 Microphone coupled to a sound source by means of a small cavity coupler.....	15
5.6 Methods of measuring frequency response.....	15
5.6.1 Point-by-point and continuous sweep frequency methods.....	15
5.6.2 Calibration methods.....	16
5.7 Overall accuracy.....	16
5.8 Graphical presentation of results.....	16
6 Type description (acoustical behaviour).....	17
6.1 Principle of the transducer.....	17
6.2 Type of microphone.....	17
6.3 Type of directional response characteristics.....	17
6.4 Application.....	17
7 Terminals and controls.....	17
7.1 Marking.....	17
7.2 Connectors and electrical interface values.....	17
8 Reference point and axis.....	18
8.1 Reference point.....	18
8.2 Reference axis.....	18
9 Rated power supply.....	18
9.1 Characteristics to be specified.....	18
9.2 Method of measurement.....	18
10 Electrical impedance.....	18
10.1 Internal impedance.....	18
10.1.1 Characteristic to be specified.....	18
10.1.2 Methods of measurement.....	18
10.2 Rated impedance.....	19
10.3 Rated minimum permitted load impedance.....	19

11	Sensitivity.....	19
11.1	General .....	19
11.2	Sensitivities with respect to acoustical environment .....	20
11.2.1	Free-field sensitivity.....	20
11.2.2	Diffuse-field sensitivity .....	21
11.2.3	Close-talking and near-field sensitivity .....	21
11.2.4	Pressure sensitivity.....	22
11.3	Rated sensitivity .....	22
12	Response.....	22
12.1	Frequency response.....	22
12.1.1	Characteristic to be specified.....	22
12.1.2	Method of measurement .....	23
12.1.3	Graphical presentation of results .....	23
12.2	Effective frequency range .....	23
12.2.1	Characteristic to be specified.....	23
12.2.2	Method of measurement .....	23
13	Directional characteristics .....	23
13.1	Directional pattern .....	23
13.1.1	Characteristic to be specified.....	23
13.1.2	Methods of measurement .....	24
13.1.3	Graphical presentation of results .....	25
13.2	Directivity index .....	25
13.2.1	Characteristic to be specified.....	25
13.2.2	Method of measurement .....	25
14	Amplitude non-linearity .....	25
14.1	General .....	25
14.2	Total harmonic distortion.....	25
14.2.1	Characteristic to be specified.....	25
14.2.2	Method of measurement .....	26
14.3	Harmonic distortion of the $n^{\text{th}}$ order ( $n = 2, 3, \dots$ ).....	26
14.3.1	Characteristic to be specified.....	26
14.3.2	Method of measurement .....	26
14.4	Difference frequency distortion of second order .....	27
14.4.1	Characteristic to be specified.....	27
14.4.2	Method of measurement .....	27
15	Limiting characteristics .....	28
15.1	Rated maximum permissible peak sound pressure.....	28
15.2	Overload sound pressure.....	28
15.2.1	Characteristic to be specified.....	28
15.2.2	Method of measurement .....	28
16	Balance.....	28
16.1	Balance of the microphone output .....	28
16.2	Balance under working conditions .....	29
17	Equivalent sound pressure level due to inherent noise .....	29
17.1	Characteristic to be specified.....	29
17.2	Method of measurement.....	29
18	Ambient conditions .....	30
18.1	General .....	30

18.2	Pressure range .....	30
18.3	Temperature range.....	30
18.4	Relative humidity range.....	30
19	External influences .....	30
19.1	General .....	30
19.1.1	Specification and methods of measurement .....	30
19.1.2	Other external interferences .....	31
19.2	Equivalent sound pressure due to mechanical vibration .....	31
19.2.1	Characteristic to be specified.....	31
19.2.2	Method of measurement .....	31
19.3	Equivalent sound pressure due to wind .....	31
19.3.1	Characteristic to be specified.....	31
19.3.2	Method of measurement .....	32
19.4	Transient equivalent sound pressure due to "pop" effect .....	35
19.4.1	General.....	35
19.4.2	Characteristic to be specified.....	35
19.4.3	Method of measurement .....	36
20	Electromagnetic compatibility (EMC).....	37
20.1	Regulatory requirements .....	37
20.2	Requirements for preserving programme quality .....	37
20.3	Performance criteria.....	38
20.3.1	Criterion A .....	38
20.3.2	Criterion B .....	38
20.4	Testing for immunity to disturbances in the presence of acoustical noise .....	39
20.5	Immunity to frequency-modulated radiated disturbances .....	39
20.6	Immunity to magnetic fields .....	39
20.7	Immunity to ripple on d.c. power supply.....	39
20.8	Permanent magnetic field.....	40
20.9	Evaluation and reporting of the test results .....	40
21	Physical characteristics .....	40
21.1	Dimensions .....	40
21.2	Weight.....	40
21.3	Cables and connectors.....	40
22	Classification of the characteristics to be specified.....	40
Annex A (normative)	Additional characteristics.....	43
A.1	Characteristic sensitivity for speech .....	43
A.1.1	Characteristic to be specified.....	43
A.1.2	Method of measurement .....	43
A.2	Front-to-rear sensitivity index (0° – 180°).....	44
A.2.1	Characteristic to be specified.....	44
A.2.2	Method of measurement .....	44
A.3	Noise-cancelling index.....	44
A.3.1	Characteristic to be specified.....	44
A.3.2	Method of measurement .....	44
A.4	Special characteristics for stereo microphones .....	45
A.4.1	General.....	45
A.4.2	Included angle of an XY (left-right) microphone .....	45
A.4.3	Acceptance angle.....	45

Annex B (informative) Sound insulation device .....	46
Annex C (informative) Recommendations for professional digital microphones .....	47
C.1 General .....	47
C.2 Data sheets for digital microphones .....	47
Annex D (informative) Recommended method for measuring noise levels according to ITU-R BS.468-4 in the digital domain.....	50
D.1 General .....	50
D.2 Recommended method.....	50
D.3 Matlab code.....	51
Bibliography .....	54
Figure 1 – Balance of the output.....	28
Figure 2 – Balance under working conditions .....	29
Figure 3 – Measurement set-up for wind influence.....	32
Figure 4 – Wind generators, type 1 (Figure 4a) and type 2 (Figure 4b).....	34
Figure 5 – Electrical and mechanical setup for the measuring of the "pop" effect.....	36
Figure B.1 – Sound insulation device.....	46
Figure D.1 – ITU weighting filter for weighted and unweighted measurements .....	50
Figure D.2 – Peak value rectifier scheme.....	51
Table 1 – Reverberation time of the empty room .....	15
Table 2 – Examples of EMC regulations and standards .....	37
Table 3 – Basic EMC standards and their application to microphones .....	38
Table 4 – Classification of characteristics.....	41
Table A.1 – Speech power weighting factor at octave-band centre frequencies .....	43
Table C.1 – Classification of the characteristics recommended to be specified.....	47
Table C.2 – Additional digital characteristics to be specified.....	49
Table D.1 – Time constants for the two PVRs .....	51

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## SOUND SYSTEM EQUIPMENT –

### Part 4: Microphones

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60268-4 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

This sixth edition cancels and replaces the fifth edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Subclause 19.4 on "pop" measurement replaces Annex C;
- b) new Annex D for noise measurements in the digital domain.

The text of this International Standard is based on the following documents:

CDV	Report on voting
100/2992/CDV	100/3109/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60268 series, under the general title *Sound system equipment*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

# SOUND SYSTEM EQUIPMENT –

## Part 4: Microphones

### 1 Scope

This part of IEC 60268 specifies methods of measurement for the electrical impedance, sensitivity, directional response pattern, dynamic range and external influences of sound system microphones, and also details the characteristics to be specified by the manufacturer.

It applies to sound system microphones for all applications for speech and music. It does not apply to measurement microphones, but it does apply to each audio channel of microphones having more than one channel, for example for stereo or similar use. It is also applicable to flush-mounted microphones and to the analogue characteristics of microphones with digital audio output.

For the purposes of this International Standard, a microphone includes all such devices as transformers, pre-amplifiers, or other elements that form an integral part of the microphone, up to the output terminals specified by the manufacturer.

The major characteristics of a microphone are considered in Clauses 6 to 21. Additional characteristics are considered in Annex A and Annex C.

NOTE The characteristics specified in this document do not describe the subjective response of the microphone. Further work is necessary to find new definitions and measurement procedures for a later introduction of objective characteristics for at least some of the subjective descriptions used to describe microphone performance.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 35:2016, *Electromagnetic compatibility of multimedia equipment – Immunity requirements*

IEC 60268-1:1985, *Sound system equipment – Part 1: General*  
IEC 60268-1:1985/AMD1:1988 IEC  
60268-1:1985/AMD2:1988

IEC 60268-2:1987, *Sound system equipment – Part 2: Explanation of general terms and calculation methods*  
IEC 60268-2:1987/AMD1:1991

IEC 60268-3:2013, *Sound system equipment – Part 3: Amplifiers*

IEC 60268-5:2003, *Sound system equipment – Part 5: Loudspeakers*  
IEC 60268-5:2003/AMD1:2007

IEC 60268-11:1987, *Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components*  
IEC 60268-11:1987/AMD1:1989 IEC  
60268-11:1987/AMD2:1991

IEC 60268-4:2018 © IEC 2018

IEC 60268-12:1987, *Sound system equipment – Part 12: Application of connectors for broadcast and similar use*

IEC 60268-

12:1987/AMD1:1991 IEC

60268-12:1987/AMD2:1994

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3:2006, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test* IEC 61000-4-3:2006/AMD1:2007

IEC 61000-4-3:2006/AMD2:2010

IEC 61000-4-4:2012, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-6:2013, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8:2009, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

IEC 61000-4-16:2015, *Electromagnetic compatibility (EMC) – Part 4-16: Testing and measurement techniques – Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz*

IEC 61000-4-17:1999, *Electromagnetic compatibility (EMC) – Part 4-17: Testing and measurement techniques – Ripple on d.c. input power port immunity test*

61000-4-17:1999/AMD1:2001

61000-4-17:1999/AMD2:2008

IEC 61260-1:2014, *Electroacoustics – Octave-band and fractional-octave-band filters – Part 1: Specifications*

IEC 61938:2013, *Multimedia systems – Guide to the recommended characteristics of analogue interfaces to achieve interoperability*

ITU-T Recommendation P.51:1996, *Artificial mouth*

EN 55103-2:2009, *Electromagnetic compatibility – Product family standard for audio, video, audio-visual and entertainment lighting control apparatus for professional use – Part 2: Immunity*

EN 300 422-2 V1.3.1:2011, *Electromagnetic compatibility and radio spectrum matters (ERM) – Wireless microphones in the 25 MHz to 3 GHz frequency range – Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive*