



DRAFT TANZANIA STANDARD

**Paints and varnishes — Evaluation of degradation of coatings —
Designation of quantity and size of defects, and of intensity of uniform
changes in appearance Part 2: Assessment of degree of blistering**

TANZANIA BUREAU OF STANDARDS

CDC 13 (4145) DTZS - ISO 4628-2:2016

National foreword

Tanzania Bureau of Standards (TBS) is a sole National Standards body, established by the Standards Act No. 2 of 2009. It is mandated, among other functions, with formulation of National Standards in all products.

This Draft of Tanzania Standard is being prepared by Paints and Varnish Technical Committee under the supervision of Chemical Divisional Standards Committee

This Draft Tanzania Standard is identical adoption of ISO 4628-2:2016 *Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance Part 2: Assessment of degree of blistering* published by the International Organization for Standardization (ISO).

Terminology and conventions

Some terminology and certain conventions in the ISO standards are not identical with those used in Tanzania Standards and attention is drawn to the following:

The comma (,) has been used as a decimal marker (.) for metric dimensions. In Tanzania Standards, it is current practice to use a full point on the base line as the decimal marker.

Wherever the words “International Standard” appear in this Tanzania Standard, they should be interpreted as “Tanzania Standard”.

Scope

This part of ISO 4628 specifies a method for assessing the degree of blistering of coatings by comparison with pictorial standards..

