



EMDC2 (4137) DTZS
ISO 16000 -15:2008

DRAFT TANZANIA STANDARD

Indoor air Part 15: Sampling strategy for nitrogen dioxide (NO₂).

Draft for public comments only

DRAFT TANZANIA STANDARD

0. National foreword

The Tanzania Bureau of Standards is the statutory national standards body for Tanzania, established under the Act.No.3 of 1975, amended by Act.No.2 of 2009.

This Draft Tanzania standard is being prepared by Air Quality Technical Committee, under the supervision of the Environmental Management Divisional Standards Committee (EMDC)

This Draft Tanzania Standard is identical to ISO 16000 - Indoor Air Part 15: Sampling strategy for nitrogen dioxide (NO₂). Published by the International Organization for Standardization (ISO)

Terminology and conventions

The text of the International Standard is hereby being recommended for approval without deviation for publication as draft Tanzania standard. Some terminology and certain conversion are not identical with those used in Tanzania Standards; attention is drawn to the following:

The comma (,) has been used as decimal marker for metric dimensions. In Tanzania, it is current practice to use a full point (.) on the baseline as a decimal marker.

Wherever the words "International Standard" appear, referring to this draft standard, they should read as "Tanzania Standard".

1.SCOPE

This part of ISO 16000 specifies the planning of nitrogen dioxide indoor pollution measurements. In the case of indoor air measurements, the careful planning of sampling and the entire measurement strategy are of particular significance since the result of the measurement may have far-reaching consequences, for example, with regard to ascertaining the need for remedial action or the success of such an action.